

SAFETY DATA SHEET

SECTION I: IDENTIFICATION

Product: Concrete Release

Description: Concrete Form Release

Company Identification: Solutions² LLC
1621 N. 1st St.
Winterset, IA 50273
Phone: 515-493-1153
Website: www.Solutions2llc.com



Company Emergency Telephone Number: CHEMTREC 1-800-424-9300

SECTION II: HAZARD(S) IDENTIFICATION

GHS CLASSIFICATION Aspiration Hazard Category 1

Acute Toxicity - Inhalation: Not expected to be harmful if inhaled. Contains petroleum-based oils. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limit. Symptoms of respiratory irritation may include coughing and difficulty breathing.

Skin Corrosion/Irritation: Contact with skin is not expected to cause prolonged or significant irritation. Contact with the skin is not expected to cause an allergic reaction. Not expected to be harmful to internal organs if absorbed through the skin. Wash thoroughly after handling.

Eye Damage/Eye Irritation: Not expected to cause prolonged or significant eye irritation.

POTENTIAL HEALTH EFFECTS

Principal Routes of Exposure: Inhalation, Skin Contact, Eye Contact, Ingestion.

Aggravated Medical Condition: None known.

GHS LABEL ELEMENTS

Signal Word: **Danger**

Hazard Pictogram:



Hazard Statement: May be fatal if swallowed and enter airways.

PRECAUTIONARY STATEMENTS

Response: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

Storage: Store locked up.

Disposal: Dispose of contents/container to an approved waste disposal plant.

Chronic Effects: Prolonged skin contact may defat the skin and produce dermatitis. See Section 11 for complete health hazard information.

Carcinogenicity: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC, ACGIH, OSHA, or NTP.

Environmental Hazard: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. See Section 12 for additional ecological information.

SECTION III: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS #	Weight - %
Distillates (petroleum) hydrotreated light paraffinic	64742-55-8	90-95%
**Fatty Acid mixture	Proprietary	5-10%

**There are no additional ingredients present, within the current knowledge of the supplier and in the concentrations applicable, that are classified as hazardous to health or the environment and hence require reporting in this section.

Specific chemical identity and/or exact percentage of mixture has been withheld as a trade secret.

SECTION IV: FIRST AID MEASURES

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If symptoms persist, obtain medical attention.

Skin Contact/Absorption: Wash skin thoroughly with soap and water. Remove contaminated clothing. If irritation develops, seek medical attention.

Eye Contact: Flush with large amounts of clear flowing water for at least 15 minutes. As a precaution remove any contact lenses if worn. Hold eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. If irritation persists, seek medical attention.

Ingestion: Do NOT induce vomiting. As a precaution get medical advice. If spontaneous vomiting occurs, place the victim's head below knee level. Never give anything by mouth to an unconscious person.

Protection of First Aiders: No action should be taken involving any personal risk or without suitable training.

Note to Physician: Treat symptomatically. Contact poison treatment specialists immediately if large quantities have been ingested or inhaled.

SECTION V: FIRE-FIGHTING MEASURES

Flashpoint (Cleveland Open Cup): 155° C (311° F) (Min)

Flammable Limits: LEL: Not applicable.
UEL: Not applicable.

Autoignition Temperature: Not evaluated.

Extinguishing Media: Carbon dioxide, foam, dry chemical, water fog.

Unusual Fire and Explosion Hazards: This material will burn although it is not easily ignited. Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids and gases including carbon monoxide, carbon dioxide and unidentified organic compounds will be evolved when this material undergoes combustion. Containers may explode when heated.

Fire Fighting Equipment: Wear self-contained breathing apparatus with full face piece operated in the positive pressure demand mode when fighting fires.

SECTION VI: ACCIDENTAL RELEASE MEASURES

Isolate area and limit access. Remove source of heat, sparks and flame. Stop source of leak if possible to do so without hazard.

METHODS FOR CLEANING UP

Small Spills: Dike area and take up using sand or other inorganic absorbent.

Large Spills: Dike area ahead of the spill, ventilate closed areas before entry. Take up using sand or other inorganic absorbent and place in containers for later disposal. Prevent material from entering waterways. If material does enter waterways, please contact the appropriate authorities immediately. Use personal protection equipment.

SECTION VII: HANDLING AND STORAGE

Handling & Storage: Do not store near excessive heat or oxidizers. Always segregate materials by major hazard class. Product should be handled and stored in accordance with industry practices. Store in properly closed containers that are well labeled. Store in dry, cool, well ventilated area. Store away from heat, open flame, strong oxidizers or other source of ignition. Keep containers closed when not in use. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash face and hands before eating, drinking and smoking. Use non-sparking tools and take precautionary measures against electrostatic discharges. For more information refer to OSHA Standard 29 CFR 1910.106 'Flammable and Combustible Liquids', National Fire Protection Association (NFPA 77), 'Recommended Practice on Static Electricity' and/or American Petroleum Institute (API) Recommended 2003 'Protection Against Ignitions Arising Out of Static, Lightning and Stray Currents'.

SECTION VIII: EXPOSURE CONTROLS / PERSONAL PROTECTION

Inhalation Protection: Not normally Required. If user generates an oil mist, determine if airborne concentrations are below exposure limit for an oil mist. If not, wear an approved respirator that provides adequate protection from measured concentrations of this material. For Air-purifying respirators use an Organic Vapor cartridge.

Eye Protection: Use safety glasses with side shields or goggles when transferring material to prevent material from splashing into the eye.

Skin Protection: Oil resistant gloves.

Engineering Controls: Local exhaust at point of generation. Local or general exhaust required when using material at elevated temperatures, which accelerates generation of vapors.

Exposure Guidelines:

Ingredient	CAS Number	Exposure Limits
Distillates (petroleum) hydrotreated light paraffinic	6472-55-8	
Oil Mist		5 mg/M ³ (ACGIH, OSHA - TWA) / 10 mg/M ³ (ACGIH TLV - STEL) / 5 mg/M ³ (OSHA - PEL)

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Appearance / Color	Amber Liquid
Odor	Slight Petroleum odor
pH	10.0
Melting Point / Freezing Point	No information available
Boiling Point / Boiling Range	(F°): > 500
Flash Point	No information available
Evaporation Rate	No information available
Flammability (Solid, gas)	No information available
Upper Flammability Limit	No information available
Lower Flammability Limit	No information available
Vapor Pressure	No information available
Vapor Density	(air = 1): > 1
Specific Gravity	0.86 - 0.88 at 60° F
Solubility(ies)	Negligible
Partition Coefficient	No information available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available

SECTION X: STABILITY AND REACTIVITY

Stability: Stable under normal temperature and pressure.

Conditions to Avoid: High temperatures, heat and open flames. Empty product containers may retain product residue. Do not pressurize, cut, heat or expose to flame; container may explode and cause injury or death.

Materials to Avoid: Strong oxidizers.

Hazardous Decomposition: Thermal decomposition is highly dependent on the combustion conditions. A complex mixture of airborne solid, liquid, particulate and gases will evolve when this material undergoes pyrolysis or combustion. Oxides of Carbon, and other unidentified organic compounds may be formed upon combustion.

Hazardous Polymerization: Will not occur.

SECTION XI: TOXICOLOGICAL INFORMATION

Skin Corrosion/Irritation:	Not classified.
Serious Eye Damage/Eye Irritation:	Not classified.
Respiratory Sensitization:	Not classified.
Skin Sensitization:	Not classified.
Germ Cell Mutagenicity:	No data available to indicate product or any component present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity:	This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.

US OSHA SPECIFICALLY REGULATED SUBSTANCES (29 CFR 1910.1001-1050)

Reproductive Toxicity:	Not classified.
Specific Target Organ Toxicity:	Single Exposure: Not classified. Repeated Exposure: Not classified.
Aspiration Hazard:	May be fatal if swallowed and enters airways.
Acute Toxicity:	May be fatal if swallowed and enters airways.
Eyes:	Due to lack of data the classification is not possible.
Skin:	Due to lack of data the classification is not possible.
Inhalation:	May be fatal if enters airways.
Ingestion:	May be fatal if swallowed.

SECTION XII: ECOLOGICAL INFORMATION

Ecotoxicity:	Not expected to be harmful to aquatic organisms.
Environmental Fate:	This product is considered to be inherently biodegradable. This product is not expected to present any environmental problems other than those associated with oil spills. This product is not expected to be readily biodegradable. See Section 6 for accidental release measure.

SECTION XIII: DISPOSAL CONSIDERATIONS

Waste generated during application, demolition, breakage or spillage may be hazardous waste as defined by RCRA (40 CFR Part 261). Place waste spillage in closed containers. Dispose of in approved landfill in accordance with federal, state and local regulations. Do not pollute. Conserve resources.

SECTION XIV: TRANSPORT INFORMATION

Hazard Class:	Not regulated.
Identification Number:	None
Label(s) Required:	Compound: Lubricating oil

SECTION XV: REGULATORY INFORMATION

CERCLA Sections 102A / 103 Hazardous Substances (40 CFR Part 302.4):	Not regulated.
SARA Title III Section 302 Extremely Hazardous Substance (40 CFR Part 344):	Not regulated.
SARA Title III Section 311 / 312 Hazardous Categorization (40 CFR 370):	Not regulated.
SARA Title III Section 311 / 312 MSDS Distribution - Chemical Inventory - Hazard Identification:	Fatty Acid: Immediate (acute) health hazard, delayed (chronic) health hazard.
SARA Title III Section 313 (40 CFR Part 372):	None
US Inventory (TSCA):	All ingredients listed on inventory or exempted.

OSHA Hazard Communication Standard: This product is considered a "Hazardous Chemical" as defined by OSHA. Communication Standard 29 CFR 1910.1200.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA)

Immediate Hazard: Yes
Delayed Hazard: No
Fire Hazard No
Pressure Hazard: No
Reactivity Hazard: No

OTHER FEDERAL REGULATIONS

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPS) List: Not regulated.
Clean Air Act (CAA) Section 112r Accidental Release Prevention (40 CFR 58.130): Not regulated.
Safe Drinking Water Act (SDWA): Not regulated.

STATE REGULATIONS

Massachusetts Right-to-Know Act - Substance List: Distillates (petroleum) hydrotreated light paraffinic (6472-55-8).
New Jersey Worker and Community Right-to-Know Act: Not listed.
Pennsylvania Worker and Community Right-to-Know Act: Distillates (petroleum) hydrotreated light paraffinic (6472-55-8).
Rhode Island Right-to-Know Act: Not regulated.

SECTION XVI: OTHER INFORMATION

Issue Date: 06/01/15 **HAZARD RATINGS:**
Version #: 1 **HMIS:** Health: 1 Flammability: 1 Physical Hazards: 0

Disclaimer: AS THE CONDITIONS OR METHODS OF USE ARE BEYOND OUR CONTROL, WE DO NOT ASSUME ANY RESPONSIBILITY AND EXPRESSLY DISCLAIM ANY LIABILITY FOR ANY USE OF THIS MATERIAL. THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE TRUE AND ACCURATE BUT ALL STATEMENTS OR SUGGESTIONS ARE MADE WITHOUT WARRANTY, EXPRESSED OR IMPLIED, REGARDING THE ACCURACY OF THIS INFORMATION, THE HAZARDS CONNECTED WITH THE USE OF THE MATERIAL OR RESULTS TO BE OBTAINED FROM THE USE THEREOF. COMPLIANCE WITH FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS REMAIN THE RESPONSIBILITY OF THE USER.